Sheet	4	~6	•
Sheet	1	Οī	3

. 13	≱i			Sheet 1 of 3
Mr ,	APPSCANT FACSIMILE OF FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	ATTY DOCKET NO	SERIAL NO.
		PATENT AND TRADEMARK OFFICE	RPI-011CPCN	09/995519
PATENTS	LIST OF PUBLICATIONS	CITED BY APPLICANT	APPLICANT	
	(Use several sheet	s if necessary)	Boussiotis, V.A., et al	
			FILING DATE	GROUP
			November 28, 2001	1644

U.S. PATENT DOCUMENTS

EXAM			DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
M)	AA	5,116,964	5/26/92	Capon et al	536	27-	
		AB	5,434,131	7/18/95	Linsley et al.	514	2	

FOREIGN PATENT DOCUMENTS

				DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS		LATION	
Ļ				L					YES	NO	ı
			AC	WO 90/05541	5/31/90	PCT					-
ſ			AD	WO 91/11194	8/8/91	PCT					-
.[\neg	Γ	AE	WO 92/00092	1/9/92	PCT	•				
ĺ	T	Γ	AF	WO 92/15671	9/17/92	PCT	-				
ľ	T	T	AG	0503646 A1	12/3/92	EPO					
Î		T	AH	WO 93/00431	1/7/93	PCT ~				•	
ĺ	T	1	AJ	WO 93/06852	4/15/93	PCT					-
ľ		7	AJ	WO 93/06866	4/15/93	PCT					

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

		OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)				
	AK	Azuma, M., et al., "B70 Antigen is a Second Ligand for CTLA-4 and CD28," Nature, vol. 366, 76-79 (1993);				
	AL	Bell, G. and Imboden, J., "CD2 and the Regulation of T Cell Anergy," <i>The Journal of Immunology</i> , 2805-2807 (1995);				
	AM	Beverly, B., et al., "Reversal of in Vitro T Cell Clonal Anergy by IL-2 Stimulation," <i>International Immunology</i> , vol. 4, no. 6, 661-671 (1992);				
	AN	Bierer, B., et al., "Interaction of CD2 with its Ligand, LFA-3, in Human T Cell Proliferation," The Journal of Immunology, vol. 140, no. 10, 3358-3363 (1988);				
	Bierer, B., et al., "Synergistic T Cell Activation Via the Physiological Ligands for CD2 and the T Cell Receptor," J. Exp. Med., vol. 168, 1145-1156 (1988);					
П	Boussiotis, V., et al., "B7 but not Intercellular Adhesion Molecule-1 Costimulation Prevents the Induction of Human Alloantigen-specific Tolerance," <i>J. Exp. Med.</i> , vol. 178, 1753-1763 (1993);					
П	Boussiotis, V., et al., "CD2 is Involved in Maintenance and Reversal of Human Alloantigen- specific Clonal Anergy," <i>J. Exp. Med.</i> , vol. 180, 1665-1673 (1994);					
	AR	Boussiotis, V., et al., "Human Alloantigen Specific Clonal Anergy to Lymphoblastoid Cells is Reversed Following Culture with IL-2 or IL-4," <i>Blood</i> , vol. 82, 304A (1993);				
to Trigger T Cell Activation Via CD2-D66 Plus CD2-9.6/T11, Epitopes," The Journal of		Brottier, P., et al., "T Cell Activation Via CD2 [T, gp50] Molecules: Accessory Cells are Required to Trigger T Cell Activation Via CD2-D66 Plus CD2-9.6/T11, Epitopes," <i>The Journal of Immunology</i> , vol. 135, no. 3, 1624-1631 (1985);				
Exam	iner	PHURSIMBE Date Considered - 4/11/05				
*EXAMINER Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation is in conformance with mext communication to applicant.						

		09/995519
<u> </u>	FILING DATE November 28, 2001	GROUP 1644

- 6	OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)				
M	Dustin, M., et al., "Anchoring Mechanisms for LFA-3 Cell Adhesion Glycoprotein at Membrane Surface," <i>Nature</i> , vol. 329, 846-848 (1987);				
88	Freedman, A., et al., "B7, a B Cell-Restricted Antigen that Identifies Preactivated B Cells," Division of Tumor Immunology, Dana-Farber Cancer Institute and the Department of Medicine, 3260-3267 (1987);				
BC	Freeman, G., et al., "B7, a new Member of the Ig Superfamily with Unique Expression on Activated and Neoplastic B Cells," <i>The Journal of Immunology</i> , vol. 143, no. 8, 2714-2722 (1989);				
BD BD	Freeman, G., et al., "Cloning of B7-2: A CTLA-4 Counter-Receptor that Costimulates Human T Cell Proliferation," Science, vol. 262, 909-911 (1993);				
8E	Freeman, G., et al., "Murine B7-2, an Alternative CTLA4 Counter-receptor that Costimulates T Cell Proliferation and Interleukin 2 Production," <i>The Journal of Experimental Medicine</i> , vol. 178, 2185-2192 (1993);				
BF	Freeman, G., et al., "Structure, Expression, and T Cell Costimulatory Activity of the Murine Homologue of the Human B Lymphocyte Activation Antigen B7," <i>J. Exp. Med.</i> , vol. 174, 625-631 (1991);				
BG	Freeman, G., et al., "Uncovering of Functional Alternative CTLA-4 Counter-Receptor in B7- Deficient Mice," <i>Science</i> , vol. 262, 907-909 (1993);				
ВН	Gimmi, C., et al., "B-cell Surface Antigen B7 Provides a Costimulatory Signal that Induces T Cells to Proliferate and Secrete Interleukin 2," <i>Proc. Natl. Acad. Sci. USA</i> , vol. 88, 6575-6579 (1991);				
Gimmi, C., et al., "Human T-cell Clonal Anergy is Induced by Antigen Presentation in the Absence of B7 Costimulation," <i>Proc. Natl. Acad. Sci. USA</i> , vol. 90, 6586-6590 (1993);					
BJ					
ВК	Hathcock, K., et al., "Identification of an Alternative CTLA-4 Ligand Costimulatory for T Cell Activation," Science, vol. 262, 905-907 (1993);				
BL	Koyasu, S., et al., "Role of Interaction of CD2 Molecules with Lymphocyte Function-associated Antigen 3 in T-cell Recognition of Nominal Antigen," <i>Proc. Natl. Acad. Sci. USA</i> , vol. 87, 2603-2607 (1990);				
BM	Lenschow, D., et al., "Long-Term Survival of Xenogeneic Pancreatic Islet Grafts Induced by CTLA4Ig," Science, vol. 257, 789-791 (1992);				
ВМ	Lin, H., et al., "Long-Term Acceptance of Major Histocompatibility Complex Mismatched Cardiac Allografts Induced by CTLA4Ig Plus Donor-specific Transfusion," <i>J. Exp. Med.</i> , vol.178, 1801-1806 (1993);				
Linsley, P., et al., "Binding of the B Cell Activation Antigen B7 to CD28 Costimulates T Ce Proliferation and Interleukin 2 mRNA Accumulation," <i>J. Exp. Med.</i> , vol. 173, 721-730 (199					
BP BP					
BQ					
BR	Moingeon, P., et al., "CD2-mediated Adhesion Facilitates T Lymphocyte Antigen Recognition Function," <i>Nature</i> , vol. 339, 312-314 (1989);				
Examiner	PHURGANDA Date Considered 4/11/05				
*EXAMINER	Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				

			09/995519
	X LIST OF PUBLICATIONS CITED BY APPLICANT	APPLICANT	
PATENT	(Use several sheets if necessary)	Boussiotis, V.A., et al.	
		FILING DATE	GROUP
		November 28, 2001	1644

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Pepinsky, R., et al., "The Increased Potency of Cross-linked Lymphocyte Function-associated Antigen-3 (LFA-3) Multimers is a Direct Consequence of Changes in Valency," The Journal of Biological Chemistry, vol. 266, no. 27, 18244-18249 (1991); Seed, B., "An LFA-3 cDNA Encodes a Phospholipid-linked Membrane Protein Homologous to its Receptor CD2," Nature, vol. 329, 840-842 (1987); Selvaraj, P., et al., "The T Lymphocyte Glycoprotein CD2 Binds the Cell Surface Ligand LFA-3," Nature, vol. 326, 400-403 (1987); CD Tan, P., et al., "Induction of Alloantigen-specific Hyporesponsiveness in Human T Lymphocytes by Blocking Interaction of CD28 with its Natural Ligand B7/BB1," J. Exp. Med., vol. 177, 165-173 Van Gool, S., et al., "The Combination of Anti-B7 Monoclonal Antibody and Cyclosporin A Induces Alloantigen-specific Anergy During a Primary Mixed Lymphocyte Reaction, "J. Exp. Med., vol. 179, 715-720 (1994); CF Wallner, B., et al., "Primary Structure of Lymphocyte Function-Associated Antigen 3 (LFA-3) The Ligand of the T Lymphocyte CD2 Glycoprotein," Journal of Experimental Medicine, vol. 166, 923-932 (1987); Yang, S., et al., "A Common Pathway for T Lymphocyte Activation Involving Both the CD3-Ti Complex and CD2 Sheep Erythrocyte Receptor Determinants," The Journal of Immunology, vol. 137, no. 4, 1097-1100 (1986). ᆲ CK a CM CN CO CP ca Examiner Date Considered LAMOSE

EXAMINER

Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.